Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2005	(access or execution or query) adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:41
L2	20	1 with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:51
L3	4	2 and generat\$4 adj2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:52
L4	4	2 and generat\$4 near code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:53
L5	23	1 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:55
L6	15	1 and (augment\$6 or replac\$6) with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	953	(logop or (log adj operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:27
L2	9	(logop or (log adj operation)) same pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:30
L3	14	1 and (access or execution or query) adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:38
L4	2	3 and (pointer or referencing) near9 (call or function or lookup or look-up or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:32
L5	148	1 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:39
L6	3	5 and (pointer or referencing) and SQL and optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:33
L7	3	5 and (pointer or referencing) and SQL adjoptimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:33
L8	0	5 and (pointer or referencing) and (SQL adj optimiz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:34
L9	23	(pointer or referencing) and (SQL adj optimiz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:34

L10	0	9 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:34
L11	12	9 and (access or execution or query) adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:34
L12	2005	(access or execution or query) adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:38
L13	5	12 same (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:39
L14	7	12 and (opcode or (operation adj code)) and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:39

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	2975	instruction adj pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:53
L3	1011	1 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:01
L4	235	3 and (SQL or optimizer or pars\$3 or (access adj plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:51
L5	507	3 and (SQL or optimiz\$8 or pars\$3 or (access adj plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:51
L6	0	5 and (SQL same (access adj plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:51
L7	0	5 and (SQL and (access adj plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:51
L8	79	5 and ("707"/\$.ccls. or "717"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:23
L9	5	8 and next adj instruction adj pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:54
L10	5	9 and (pointer or referencing or address or addressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:06

	EAST Search history								
L11	1	1 and (QGM or (query adj graph adj model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:59			
L12	1	1 and access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:06			
L13	2975	1 and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:00			
L14	46	1 and (next or other or another) adj pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:00			
L15	20	14 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:18			
L16	535	access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:08			
L17	64	16 and (pointer or referencing or address or addressing) with (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:08			
L18	2005	(access or execution or query) adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:08			
L19	49	18 and (pointer or referencing) adj9 (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:24			
L20	68	18 and (pointer or referencing) near6 (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:17			

L21	5	20 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:23
L22	1080	18 and ("707"/\$.ccls. or "717"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:23
L23	11	22 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:23
L24	7	23 and (pointer or referencing) and (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
ĽÍ.	70140	call with (function or pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:25
L2	1600	1 and SQL and optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 07:54
L3	1	2 and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:12
L4 .	1	(replac\$6 or augment\$4) with (operation adj code) with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:25
L5	15	(replac\$6 or augment\$4) with ((operation adj code) or opcode) with (referencing or pointer or addressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:16
L6	313	(replac\$6 or augment\$4) with pointer with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:25
L7	1945	call with (function or lookup) with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:26
L8	85	call with (lookup or look-up) with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:26
L9	14	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:32

		LASI Seal		<u>-</u>		· · · · · · · · · · · · · · · · · · ·
L10	13	8 and (query or SQL or optimiz\$6) and ((operation adj code) or opcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:37
L11	0	8 and ((query or SQL) near8 optimiz\$6) and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:37
L12	0	7 and ((query or SQL) near8 optimiz\$6) and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:37
L13	1	1 and ((query or SQL) near8 optimiz\$6) and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:41
L14	1	2 and ((query or SQL) near8 optimiz\$6) and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:38
L15	i	((query or SQL) near8 optimiz\$6) and ((operation adj code) or opcode) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:38
L16	2	"5379419".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:39
L17	1	16 and (pointer or address or addressing or referencing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:39
L18	3593584	16 and (pointer or address or addressing or referencing) nea9 9 (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:40
L19	1	16 and (pointer or address or addressing or referencing) near9 (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:40

L20	1	16 and (pointer or address or addressing or referencing) with (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:41
L21	124463	(pointer or address or addressing or referencing) with (call or function or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:41
L22	25	21 and (((query or SQL) near8 optimiz\$6) or (access adj plan)) and ((operation adj code) or opcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:42